

III. Remarks

To highlight the distinction of the above-referenced invention over the prior art as interpreted by the Examiner in the Office Action of May 27, 2005, Paper No. 20050525, the specification and claims were amended as set forth herein. Claims 1-3, 7, 8, 12, 17, and 21 were amended to more clearly define the subject matter of the invention and to place all of the claims remaining in the application in condition for allowance.

The specification was amended herein to correct matters of a grammatical and typographical nature, as well as to clarify what is clearly shown in the Figures of the invention. No new matter was presented and such amendments are deemed unobjectionable. Entry thereof is respectfully requested.

In the above referenced Office Action, the Examiner rejected Claims 1-3, 5, 7, 8 and 21 under 35 U.S.C. §112, first paragraph, as failing to comply with the written description requirement. It is the Examiner's opinion that the earlier submitted claims contain subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventors at the time the application was filed, had possession of the claimed invention. Specifically, the term "non-foldable" of Claims 1-3, 5, 7, 8 and 21 was not found in the specification.

In response to this rejection, it is respectfully requested that this rejection be withdrawn for the reason that it is amply clear from the specification, that a person skilled in the art, when considering the specification as a whole, as well as, specifically, the recitation set forth at page 6, lines 10-14, lines 20-24; page 7, lines 10-15; page 8, lines 13-17; page 11,

lines 9-23, and especially, Figures 6-9 will find that any wall of the loop enclosure does not fold upon itself in either longitudinal or latitudinal directions. A person skilled in the art will clearly realize, especially in view of the recitation on page 11, that the prior art of this same inventor namely, U.S. Patent No. 4,380,836, as well as, 4,493,118 teaches bi-fold type walls which, as clearly set forth in the background and history of the invention of this application is a prior art problem identified by the inventor in the transportation of these portable toilets that is attempted to be solved by the present invention. Accordingly, when the specification is read, as a whole by a person skilled in the art, it becomes readily clear that the purpose of the walls is to avoid bi-fold doors so that they may be simply folded in two layers and provide significant advantages in terms of reduced transportation costs, as well as, labor to assemble and disassemble the portable toilets on site. It is therefore respectfully submitted that the term "non-foldable" is clearly supported by the specific language cited to a person skilled in the art when reading the application as a whole. However, since this term has now been deleted from the specification and all of the claims pending in this application, this issue is now moot. Accordingly, it is respectfully requested that the 35 U.S.C. 112, first paragraph issue be withdrawn with regard to Claims 1-3, 5, 7, 8 and 21.

In the above reference Action, the Examiner rejected Claims 1, 2, 5, 7, 10, 12, 15, 17 and 21 under 35 U.S.C §103 as being unpatentable over the art "for the reasons advanced in the previous rejection". Further, the Examiner rejected Claims 3, 8 and 13 under 35 U.S.C. §103(a) as being unpatentable over the art as applied in Claim 1 above, and further in view of the teachings of Braxton '836 "as set forth in the previous action".

Applicant's attorney respectfully traverses each of the 35 U.S.C. §103 rejections set forth herein in view of the claims as currently amended and for the reason that Applicant's invention is not an obvious improvement over the prior art.

With respect to the rejections under 35 U.S.C. §103, it is noted in MPEP §706 that the standard of patentability to be followed in the examination of a patent application is that which was enunciated by the Supreme Court in *Graham v. John Deere*, 148 USPQ 459 (1966), where the Court stated:

“Under Section 103, the scope and the content of the prior art are to be determined; differences between the prior art and the claims at issue are to be ascertained; and the level of ordinary skill in the pertinent art resolved.”

Accordingly, to establish a prima facie case of obviousness, the Patent Office must; (1) set forth the differences in the claim over the applied references; (2) set forth the proposed modification of the references which would be necessary to arrive at the claimed subject matter; and (3) explain why the proposed modifications would be obvious. To satisfy step (3) above, the Patent Office must identify where the prior art provides a motivating suggestion, inference or implication to make the modifications proposed in step (2) above. *In re Jones*, 21 USPQ2d 1941(Fed. Cir. 1992).

The mere fact that the prior art may be modified by the Examiner does not make the modification obvious unless the prior art suggests the desirability for the modification. *In re Fritch*, 23 USPQ2d 1780 (Fed. Cir. 1992). In the present case, the Examiner has failed to make a proper prima facie showing of obviousness since the

Examiner has failed to show how the prior art suggests the desirability of the proposed modification.

The Office Action fails to set forth a *prima facie* case of obviousness. In order to establish a *prima facie* case of obviousness according to MPEP §706.02(j), the cited references must teach or suggest all of Applicant's claim limitations, and there must be some suggestion or motivation to modify a reference or to combine teachings of each of the references.

The unobviousness of the present invention over the cited reference will become clear upon considering each of the problems that the prior art is directed to and the teachings each propose in order to solve this problem:

Dahl is directed to the general problem of the lack of ease of transportability of temporary toilet shelters. To solve this problem, Dahl proposes a light weight enclosure, which is of rugged construction and may be readily erected and collapsed into compact portable form for transportation from one site to another. The structure consists of four upright side walls each including a pair of wall sections on opposite sides of a central foldable dividing line that extend transversely around the enclosure. The side walls are foldable relative to each other along their longitudinal edges and the wall sections are foldable along the central foldable dividing line to form a compact stack of eight wall sections with the hinge strip 40 attached to wall sections 26 and 30 to enclose the remaining six wall sections. Such a stack is light enough and small enough to be carried by a passenger automobile and therefore may serve for family use as well as industrial use. Two adjacent sections of two adjacent side

walls are detachable with respect to one another and are respectively at opposite sides of the stack and are interconnected by a double hinge of a width sufficient to extend across the thickness of six intermediate wall sections of the stack. The remaining wall sections are interconnected by transverse hinges. In the preferred practice of the invention, the enclosure has a doorway on one of its four sides and a permanently hinged door for the doorway which is made in two sections lying on opposite sides of the central foldable dividing line to permit the desired collapse of the structure into the eight layer stack. Dahl teaches that it is highly desirable to have all eight of the wall sections interconnected to provide insurance against any section becoming separated, misplaced or lost. Such interconnection is also desirable to maintain the desired relationship among the various sections to prevent confusion that may be called by one section being inadvertently moved out of its normal place in the eight-section assembly. In the final step of the folding arrangement, as shown in Figure 3, the wall sections are folded down on itself using a hinge trip 40 thereby forming a stack of eight of the wall sections. It is apparent in this final folded state of the structure that double inch strip 40 is relatively wide to provide a web 55 of substantial width to unify the stack since it cooperates with the wall sections 26 and 32 enclosed the remaining six wall sections.

As pointed out by the Examiner, Figure 2 shows a step in the process of making an eight-layer stack where the enclosure is collapsed to a flat state. As clearly set forth in Dahl, this is not a transportable state nor is this a transportable planar state since Dahl clearly teaches at column 4, lines 13-38 that Figure 2 is only the first step in folding the structure for transportation. Dahl teaches a second, as well as, a final step of forming a stack

of eight of the wall sections and a double hinge strip 40 unifies the stack to enclose the remaining wall sections. The final transportable stack of eight sections permanently connected together in such a manner as to permit the sections to be stacked for transportation or to be unfolded for erection of the enclosure is taught at column 1, lines 51-55. Such teachings are contrary to Applicant's teachings and therefore could not possibly motivate a person skilled in the art to use Dahl's teaching in an attempt to obviate Applicant's invention.

Tegg et al., U.S. Patent No. 4,744,111, is directed to problems associated with portable toilet structures for outdoor concerts, athletic events, and the like. These portable units are cumbersome and must be transported in the assembled condition thereby limiting the number of units that may be transported by a carrier. Prior art knock down units have been proposed to permit a larger number of units to be transported on each carrier but disassembly and reassembly of these units is usually a time consuming operation. To solve this problem, Tegg et al. teaches a portable knock down toilet structure, which is readily assembleable into a complete unit, simple and inexpensive. The vertical walls are provided with slots in the edges thereof and U-shaped clamping members having pins which engage in the slots are utilized so that each clamping member releasably clamps the edges of the pair of adjacent walls. Further, the lower edges of portions of the vertical walls are provided with slots for quick releasable engagement with clips secured to the base to permit ready attachment and detachment of vertical walls to the base. The top wall is releaseably secured to the vertical walls by cam locks mounted on the vertical walls and engageable with the slots in the top wall. With this arrangement, a single operator may readily assemble and disassemble a

plurality of the toilet structures only in a matter of minutes. Because of the construction of various components, the components may be stacked on a carrier vehicle to permit the transport of a large number of units, while minimizing the space requirements. For example, the side walls and rear walls may be placed in a single stack, and the front walls with the attached doors may be placed in another. The bases may be arranged in stack relation, and the holding tank and other units may be arranged together. Damaged components such as a damaged vertical wall may be readily replaced without requiring replacement of the entire unit.

Applicant's invention is directed to problems associated with his earlier portable prior art toilet shelter, which is significantly more cumbersome to stack and fold for transporting as is the collapsible enclosure as taught in the Dahl reference. To solve this problem, Applicant teaches a portable toilet shelter including the loop enclosure that is mountable to a base, and is adapted to receive a roof. The loop enclosure includes planar opposed end walls each having opposed longitudinally oriented edges. Opposed planar side walls are positioned between the opposed planar end walls, with each of the planar side walls having opposed longitudinally oriented edges. Flexible hinges connect the edges of the planar side walls to respective adjacent edges of the planar end walls to complete the loop enclosure. The loop enclosure is lifted away from the base and placed on its side permitting it to automatically fold flat on the ground to a double thickness layer, as depicted in Figures 8 and 9 of the application. When the loop enclosure is placed on its side and permitted to collapse, the planar front and planar back end walls fold relatively towards their

respective planar side walls. In other words, the walls collapse towards one another such that the inside surface of the planar front end wall overlays one of the inside surfaces of one of the planar side walls, while the inside surface of the planar back end wall overlays the other of the inside surfaces of the planar side walls. Additionally and alternatively, according the collapsed portable toilet shelter, the roof and floor can be collapsed and folded together with the loop enclosure. Once the loop enclosure is set aside or loaded on a truck in its stackable condition, the empty toilet unit is removed from the base and loaded to a truck and the base is then lifted from the ground and loaded to the truck. Accordingly, the compact collapsed loop enclosure can be stacked in any convenient manner to maximize the number of units transportable by a truck.

The differences between Applicant's invention and the prior art references cited by the Examiner in the rejection under 35 U.S.C. §103 are quite clear. The solutions taught by each of the references are directed to problems somewhat different than that described in Applicant's invention. For example, Dahl is directed to providing a light weight enclosure of the type which is simple and may be readily erected and also collapsed into a compact portable form by a single individual for transportation from one site to another. Tegg et al. is directed to problems associated with portable chemical toilet structures of the type, which are transported in an assembled condition thereby limiting the number of units, which may be transported by a carrier. If, as the Examiner suggests, the teachings of Dahl are combined with Tegg et al. in an attempt to obviate Applicant's invention, it is clear from the teachings set forth in Tegg et al. that the suggested combination would certainly not result in Applicant's invention for the simple reason that

Tegg et al. suggests the use of multiple piece toilet shelters which are assembled on site while Dahl teaches the use of a readily collapsible to an eight layer stack and erectable compact portable units which may be erected by a single individual. Accordingly, the objects of each of the references are contrary to each other and therefore there is absolutely no motivation, suggestion or inference whatsoever to combine the teachings of these two references in an attempt to obviate Applicant's invention. Further, although the Examiner alleges that Dahl suggests the claimed invention of Applicant's amended independent claims, except for a base and a roof, the Applicant respectfully disagrees with the allegations of the Examiner for the simple reason that there are significant functional and structural differences between Applicant's invention and the teachings of Dahl or the teachings of Tegg et al., or any combination thereof. Both cited references fail to disclose, teach or suggest a loop enclosure collapsed to a stackable flat transportable planar state having a thickness of about two of the walls thereof. Rather, the Dahl '256 patent teaches that the enclosure collapses to a final folded transportable flat state having a thickness of about eight of the walls thereof (Figure 4). Similarly the Dahl reference teaches the use of a double hinge 40, 55, which prevent the enclosure from having a folded planar transportable state, much less having a thickness of about two walls of the loop enclosure. The double hinge 40, 55 projects upwardly when the first fold of the complete eight layer fold process occurs and thus does not enable the enclosure to fold to a flat state having a thickness of about two of the walls thereof. This web 55 prevents adjacently stacked enclosures from being stacked flat atop one another. This is simply because the Dahl reference fails to teach an enclosure which is meant to fold flat to a thickness of about two walls thereof. Rather, Dahl teaches

use of the double hinge 40, 55 to enable the Dahl enclosure to fold to a state having a thickness of eight of the wall sections (Column 3, lines 1-3). Accordingly, it is clear, that the Dahl reference in and of itself teaches contrary or opposite of Applicant's teachings from the standpoint that the Dahl reference teaches a transportable state resulting in a thickness of eight folds of all sections while Applicant's invention results in a transportable thickness of two folded stackable loop enclosure. The teachings of Tegg et al. add absolutely nothing to the teachings of Dahl in order to, in anyway whatsoever suggest, imply, infer or motivate to a person skilled in the art to teach Applicant's invention. In fact, in consideration of the Tegg et al. reference, which teaches away or opposite to Applicant's invention, it is clear that if any of the cited references teach away from the suggested combination, as set forth in the claims, the claimed invention is distinguishable over the combination of cited references (MPEP §2145).

Thus, even if the combination as suggested by the Examiner is somehow accomplishable, Applicant's claims set forth unobvious structural features over the proposed combination. Accordingly, the combination would necessary constitute claimed subject matter that is different and patentably distinct over the teachings of the prior art references.

One of ordinary skill in the art would have no basis for combining the teachings of Dahl and Tegg et al. references in order to attempt to obviate Applicant's invention, because there is no suggestion or motivation in this prior art to do so. It is well settled patent law that a sustainable obviousness rejection requires some teachings, suggestions or motivation to combine the references in order to obviate Applicant's invention. Here, the Examiner fails to completely set forth any prima facie showing of

obviousness since the Office Action does not provide any suggestion for the desirability for the proposed combination. The fact that both references disclose a portable toilet is not, by itself, sufficient to selectively substitute parts of one reference for part of another to meet Applicant's novel invention as claimed. Moreover, the Office Action does not set forth any principle with specific understanding within the level of ordinary skill in the art that would have motivated a skilled artisan to even attempt to combine these cited references. Applicant respectfully submits that the Office Action's lack of indication anywhere in the record of the finding in the cited references of the suggestion for the desirability for a person skilled in the prior art to proceed contrary to the teachings of Dahl, and in fact, completely disregard the eight layer folded unit as set forth in the disclosure of Dahl so as to attempt to create Applicant's invention as claimed.

Regardless of the lack of the proper suggestion in the Office Action, the cited references themselves contain no suggestion whatsoever for combining the references that teach the invention as claimed according to Applicant's disclosure. In other words, there is nothing in the reference alone or together that suggests the claimed invention as a solution to the problem of a stackable enclosure and, in fact, it is indeed Applicant's invention, which creates a simple solution to such problem. Not a single applied reference mentions the problems associated with enclosures that are not optimized for stackability. Significantly, Applicant specifically identifies the four-wall thickness of the collapsed structure of his own earlier patent as a problem to be solved. The Dahl enclosure teaches a collapsed enclosure having a thickness of eight walls- four times as thick as that of the Applicant's current teachings. Therefore, absent the recognition of the problem identified by the Applicant, it

would be impossible for its solution to be obvious to anyone, and the cited references cannot possibly suggest, singularly or in combination, a solution as novel as Applicant's invention.

In view of a lack of showing by the Examiner of a clear factual basis to support a conclusion that the invention is obviated by the cited references in the Office Action, a person of ordinary skill in the art would not seek to combine these references cited in the Office Action to produce the results that Applicant's invention claims and teaches. It is only through Applicant's own teachings and disclosure that one of ordinary skill in the art would appreciate the need for a portable toilet shelter having a base, a loop enclosure circumscribing the base, wherein the loop enclosure is collapsible to a stackable, folded state having a thickness of about two of the walls thereof. In other words, but for Applicant's disclosure, there is no teaching, suggestion, or motivation whatsoever to combine the teachings of Dahl and the teachings of the Tegg et al. patent in any way in order to obviate Applicant's invention. Accordingly, Applicant respectfully asserts that the Office Action is an example of hindsight reconstruction in an attempt to obviate Applicant's invention after having the benefit of reading Applicant's disclosure. One cannot use hindsight reconstruction to pick and choose among isolated disclosures in the cited references to deprecate the claimed invention.

Applicant's invention is thus an unobvious improvement over the cited references and not an obvious modification or combination of any of the references of record in this application. When viewed singularly or collectively, none of the cited references disclose, teach, or even suggest a portable toilet shelter having a base, a loop enclosure circumscribing the base, and the loop enclosure being collapsible to a stackable folded state

having a thickness of about two of the walls thereof. Thus, independent Claims 1, 7, 12, 17, and 21 are not rendered obvious by any of the cited references. Under principles of claim dependency and for at least the reasons stated above, Dahl and the Tegg et al. patents do not render obvious any of the dependent claims as well. Therefore, reconsideration and withdrawal of the § 103 rejections are respectfully requested.

The Examiner objected to the amendment of the specification under 35 U.S.C. 132 because of the introduction of the term “non-foldable” as new matter. This term has been deleted herein from the specification by the amendments requested herewith. Therefore, it is respectfully requested that the objection to the specification under 35 U.S.C. 132 be withdrawn.

The Examiner further indicated that Claims 4, 9, 14, and 18-20 stand withdrawn as being drawn to a non-elected specie. The Examiner also stated that there is no generic or linking claim. The undersigned wishes to bring to the attention of the Examiner that in the Office Action dated January 16, 2003, Paper No. 4, at least Claim 1 was found to be generic by the Examiner. Further, in Applicant’s response to Paper No. 4, it was pointed out that Claims 1-3, 5-6, 7-8, 12-13, 15-16 and 17 were also considered generic to all species remaining in the application. Clarification of the status of the identified generic claims is respectfully requested.


Finally, the undersigned wishes to make of record a telephone interview with the Examiner on June 14, 2005 to clarify the responsive due date of this action since the period for reply from the mailing date was blank upon receipt of the Office Action. During

the interview, the Examiner revealed that the reply to the Office Action was due three months from the mailing date thereof.

If the Examiner has any questions with respect to any matter now of record, Applicant's attorney may be reached at (586) 739-7445.

Respectfully submitted,

VANOPHEM & VANOPHEM, P.C.




Remy J. VanOphem
Attorney for Applicant
Registration No. 27053

51543 Van Dyke Avenue
Suite 103
Shelby Township, MI 48316-4447
(586) 739-7445
Attorney Docket No. NMC104A US
RVO/ndt

Certificate under 37 CFR §1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on August 24, 2005.

Date: August 24, 2005



Remy J. VanOphem, Reg. No. 27053